

Cardiovascular risk in women: here, there and everywhere

Biljana Parapid 

University Clinical Centre of Serbia, Division of Cardiology, Faculty of Medicine, University of Belgrade, Serbia

Abstract

While majority of women globally live in a misperception that breast cancer is the leading killer of all women, it sadly still is heart disease, irrelevant of the corner of the world.

Keywords: cardiovascular risk · women · inequality · misogyny

Citation

Parapid B. Cardiovascular risk in women: here, there and everywhere. *Eur J Transl Clin Med.* 2025;8(2):5-8.

DOI: [10.31373/ejtcmm/208813](https://doi.org/10.31373/ejtcmm/208813)

While majority of women globally live in a misperception that breast cancer is the leading killer of all women, it sadly still is heart disease, irrelevant of the corner of the world [1]. The findings from 2 major epidemiological registries helped to identify the cardiovascular disease risk factors: the Seven Countries' Study (SCS) conducted across 3 continents (the United States, Japan, Finland, the Netherlands, Italy, Greece, and former Yugoslavia) and the Framingham Heart Study (FHS). The SCS included only men because in the post-WWII era, women were thought to be protected from heart disease, whereas the FHS did include women and men, though primarily of Caucasian descent. Notably, the maternal morbidity and mortality data collected from the SCS participants, are both insightful and valuable. A 40-year follow-up revealed that sons of mothers with confirmed heart disease

and / or hypertension had greater cardiovascular morbidity and mortality [2]. Still, it was not until the Nurses' Health Study II (1991-2013) that the link between night shift work and an increased risk of developing diabetes and obesity was found [3-4]. Regrettably, sex-specific risk factors appeared for the first time in the US and European guidelines as late as 2019 and 2021, respectively [5-6]. The current American Heart Association's (AHA) "Life's Essential Eight" encompass smoking status, control of glycemia, cholesterol, blood pressure and weight (including diet and physical activity) and for the first time sleep habits [7]. However, it was abridged for cardiovascular risk in women recognizing peripartum as a window of opportunity for timely screening and prevention since hypertensive disorders of pregnancy, gestational diabetes, pre-

Corresponding author:

Biljana Parapid, University Clinical Centre of Serbia, Division of Cardiology, Faculty of Medicine, University of Belgrade, Serbia

e-mail: biljana_parapid@yahoo.com

Available online: ejtcmm.gumed.edu.pl

Copyright © Medical University of Gdańsk

This is Open Access article distributed under the terms of the Creative Commons Attribution-ShareAlike 4.0 International.



term birth, placental abruption and small for gestational age were added as an additional concentric circle [8-9].

Irrelevant of the abundance of growing evidence and a recent AHA scientific statement on cardiovascular health in the transition from adolescence to emerging adulthood, different regional efforts are needed to optimize health literacy of women and promote collaborations of all involved [10-21]. In that spirit, Serbia has formally launched its campaign in 2018, followed by continuous research efforts, advocacy and introducing new concepts to the curricula of medicine residents' and cardiology fellows' [15, 22-25]. Women are the most underserved group the COVID-19 pandemic created, therefore we are optimizing their comprehensive cardiovascular care via the "Dr. Nanette Kass Wenger" Women's Heart Center and an additional program that, besides the features of similar programs based in the United States and Canada [26-27], also includes a Lifestyle Clinic aiming to serve [14, 28-29] not only women (who are the pandemic frontliners) but also all post-COVID-19 and long COVID patients [15].

In conclusion, as we are ending the first quarter of the 21st century it remains of paramount importance to continue to develop regional toolkits (e.g. the recently published by the American College of Cardiology) [30] and to keep fighting against misogyny. Regardless whether its promoters are

men or women (via internalized misogyny masked as "cultural habits") [23] and even when systemic racism (such as the one reported in the US) is excluded, misogyny is recognized as the basis of barriers to timely diagnosis and treatment of women. The resultant more severe CVD in previously undiagnosed women can be observed at the Women's Heart Centers around the world. Misogyny requires both additional quantification in healthcare and the academia, as well as prompt and just sanctions for perpetrators for otherwise no progress shall be achieved.

Conflict of interest

None to declare pertaining to the given keynote lecture at the opening of the 38th National Student Cardiology Conference (XXXVIII Ogólnopolska Studencka Konferencja Kardiologiczna) on March 28, 2025 in Gdańsk (Poland).

Funding

None.

References

1. Martin SS, Aday AW, Almarzooq ZI, Anderson CAM, Arora P, Avery CL, et al. 2024 Heart Disease and Stroke Statistics: A Report of US and Global Data From the American Heart Association. *Circulation* [Internet]. 2024;149(8). Available from: <https://www.ahajournals.org/doi/10.1161/CIR.0000000000001209>
2. Parapid B. Metabolic Syndrome and Cardiovascular Morbidity and Mortality In the National Cohorts of The Seven Countries Study-The 40 Years' Follow Up Results. Belgrade, Serbia Belgrade Univ Med. 2014.
3. Shan Z, Li Y, Zong G, Guo Y, Li J, Manson JE, et al. Rotating night shift work and adherence to unhealthy lifestyle in predicting risk of type 2 diabetes: results from two large US cohorts of female nurses. *BMJ* [Internet]. 2018;(363):k4641. Available from: <https://www.bmj.com/lookup/doi/10.1136/bmj.k4641>
4. Fujishiro K, Lividoti Hibert E, Schernhammer E, Rich-Edwards JW. Shift work, job strain and changes in the body mass index among women: a prospective study. *Occup Environ Med* [Internet]. 2017;74(6):410–6. Available from: <https://oem.bmj.com/lookup/doi/10.1136/oemed-2016-103747>
5. Arnett DK, Blumenthal RS, Albert MA, Buroker AB, Goldberger ZD, Hahn EJ, et al. 2019 ACC/AHA guideline on the primary prevention of cardiovascular disease: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *J Am Coll Cardiol* [Internet]. 2019;74(10):e177–232. Available from: https://www.jacc.org/doi/full/10.1016/j.jacc.2019.03.010?_ga=2.222884050.879693528.1622220635-165095556.1618604419
6. Visseren FLJ, Mach F, Smulders YM, Carballo D, Koskinas KC, Böck M, et al. 2021 ESC Guidelines on cardiovascular disease prevention in clinical practice. *Eur Heart J* [Internet]. 2021;42(34):3227–337. Available from: <https://academic.oup.com/eurheartj/article/42/34/3227/6358713>
7. Lloyd-Jones DM, Allen NB, Anderson CAM, Black T, Brewer LC, Foraker RE, et al. Life's Essential 8: Updating and Enhancing the American Heart Association's Construct of Cardiovascular Health: A Presidential Advisory From the American Heart Association. *Circulation* [Internet]. 2022;146(5). Available from: <https://www.ahajournals.org/doi/10.1161/CIR.0000000000001078>
8. Lewey J, Beckie TM, Brown HL, Brown SD, Garovic VD, Khan SS, et al. Opportunities in the Postpartum Period to Reduce Cardiovascular Disease Risk After Adverse Pregnancy Outcomes: A Scientific Statement From the American Heart Association. *Circulation* [Internet]. 2024;149(7). Available from: <https://www.ahajournals.org/doi/10.1161/CIR.0000000000001212>

9. Wenger NK. The Feminine Face of Heart Disease 2024. *Circulation* [Internet]. 2024;149(7):489–91. Available from: <https://www.ahajournals.org/doi/10.1161/CIRCULATIONAHA.123.064460>
10. Scott J, Agarwala A, Baker-Smith CM, Feinstein MJ, Jakubowski K, Kaar J, et al. Cardiovascular Health in the Transition From Adolescence to Emerging Adulthood: A Scientific Statement From the American Heart Association. *J Am Heart Assoc* [Internet]. 2025;14(9). Available from: <https://www.ahajournals.org/doi/10.1161/JAHA.124.039239>
11. Macut D, Micic D, Parapid B, Cvijovic G, Sumarac-Dumanovic M, Kendereski A, et al. Age and body mass related changes of cardiovascular risk factors in women with polycystic ovary syndrome. *Vojnosanit Pregl* [Internet]. 2002;59(6):593–9. Available from: <https://doiserbia.nb.rs/Article.aspx?ID=0042-84500206593M>
12. Gojnić M, Branković M, Maksimović M, Parapid B, Dugalić V, Jeremić K, et al. Postmenopausal palpable ovary and ovarian cancer. *Clin Exp Obstet Gynecol* [Internet]. 2011;38(3):265–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21995161>
13. Parapid B. Gender disparities and coronary artery disease: Women's health. In: Expert lectures 5 BASICS+ 7th (Belgrade Summit of Interventional Cardiologists) 2011 April 8-9. Belgrade, Serbia.; 2011.
14. Parapid B, Alasnag M, Hayes S, Samargandy S, Banerjee S, Alasnag M, et al. COVID19 impact on women on both sides of the frontline: The American College of Cardiology Women in Cardiology Section's International Working Group perspective. *Srp Arh Celok Lek* [Internet]. 2020;148(9–10):637–43. Available from: <https://doiserbia.nb.rs/Article.aspx?ID=0370-81792000095P>
15. Parapid B, Kanjuh V, Kostic V, Polovina S, Dinic M, Loncar Z, et al. Women's health in Serbia - past, present, and future. *Srp Arh Celok Lek* [Internet]. 2021;149(11–12):745–54. Available from: <https://doiserbia.nb.rs/Article.aspx?ID=0370-81792100105P>
16. Bond RM, Gaither K, Nasser SA, Albert MA, Ferdinand KC, Njoroge JN, et al. Working Agenda for Black Mothers. *Circ Cardiovasc Qual Outcomes* [Internet]. 2021;14(2). Available from: <https://www.ahajournals.org/doi/10.1161/CIRCOUTCOMES.120.007643>
17. Parapid B, editor. Women's Heart Programs: A Bare Necessity of Diversity & Inclusion, not a Fashion Accessory of Innovation NOVAK 2022. In: Symposium of the Cardiology society of Serbia -Clinical update and perspectives of cardiology in Serbia; 28-30102022. Novi Sad, Serbia; 2022.
18. Parapid B, Rakić S. Oral Contraception: Beyond What Meets the Eye. Sorry, the Ovaries! *Int J Cardiovasc Sci* [Internet]. 2022;35(4):511–3. Available from: <https://ijcscardiol.org/article/oral-contraception-beyond-what-meets-the-eye-sorry-the-ovaries/>
19. Bond RM, Phillips K, Ivy KN, Ogueri V, Parapid B, Miller SC, et al. Cardiovascular Health of Black Women Before, During, and After Pregnancy: A Call to Action and Implications for Prevention. *Curr Cardiovasc Risk Rep* [Internet]. 2022;16(11):171–80. Available from: <https://link.springer.com/10.1007/s12170-022-00703-0>
20. Parapid B, editor. ESC 2023: Innovations in the treatment of cardiovascular diseases in women or not so much? In: Serbia Prevent; 28-29092023. Belgrade, Serbia.; 2023.
21. Manzo-Silberman S, Hawranek M, Banerjee S, Kaluzna-Oleksy M, Alasnag M, Paradies V, et al. Call to action for acute myocardial infarction in women: international multi-disciplinary practical roadmap. De Rosa S, editor. *Eur Hear J Open* [Internet]. 2024;4(6). Available from: <https://academic.oup.com/ehjopen/article/doi/10.1093/ehjopen/oeae087/7819869>
22. Djapanović V, editor. Risk Factors for the Development of Early Cardiovascular Disease in Women: Results of the University Clinical Center of Serbia Pilot Study. In: 62 Kongres Studenata Biomedicinskih Nauka sa Internacionalnim Učešćem. Kopaonik, Srbija 24-28.04.2023. Belgrade, Serbia: Medicinski Fakultet Univerziteta u Beogradu; 2023.
23. Parapid B, Grujić Ž, Bisenić O, Đurović M, Simić P, Đikanović-Tetiković B, et al. Sex-specific risk factor awareness, covert misogyny and long-term cardiovascular risk management: Pilot study. *Med Istraz* [Internet]. 2025;58(1):25–32. Available from: <https://scindeks.ceon.rs/Article.aspx?artid=0301-06192501025P>
24. Parapid B, Djikanovic-Tetikovic B, Podunavac-Kuzmanovic S, Bubanja D, Djurovic M, Djukic-Dejanovic S, et al. Women in science and equity in Serbia - so near, yet so far. *Srp Arh Celok Lek* [Internet]. 2024;152(11–12):630–7. Available from: <https://doiserbia.nb.rs/Article.aspx?ID=0370-81792400095P>
25. Parapid B, Gojnić-Dugalić M, Kanjuh V., Kass Wenger N. Koje su specifičnosti KV prevencije kod žena? In: Beleslin B, editor. *Cardiologia preventiva: kroz 120 pitanja i odgovora*. Beograd; 2023.
26. Lundberg GP, Mehta LS, Sanghani RM, Patel HN, Aggarwal NR, Aggarwal NT, et al. Heart Centers for Women. *Circulation* [Internet]. 2018;138(11):1155–65. Available from: <https://www.ahajournals.org/doi/10.1161/CIRCULATIONAHA.118.035351>
27. Gulati M, Hendry C, Parapid B, Mulvagh SL. Why We Need Specialised Centres for Women's Hearts: Changing the Face of Cardiovascular Care for Women. *Eur Cardiol Rev* [Internet]. 2021;16. Available from: <https://www.ecrjournal.com/articleindex/ecr.2021.49>

28. Öz TK, Cader FA, Dakhil ZA, Parapid B, Kadavath S, Bond R, et al. International consensus statement on challenges for women in cardiovascular practice and research in the COVID-19 era. *Minerva Cardiol Angiol* [Internet]. 2023;70(6). Available from: <https://www.minervamedica.it/index2.php?show=R05Y2022N06A0641>
29. Parapid B, Bond RM. COVID-19: An Insult to Injury on Equity. *Int J Cardiovasc Sci* [Internet]. 2021;34(4):342-3. Available from: <https://ijcscardiol.org/article/covid-19-an-insult-to-injury-on-equity/>
30. Santos Volgman A, Mehta L, Aggarwal N, Bond R, Costello B, Gianos E. *How to Start a Women's Heart Program: A Toolkit* Washington, DC. 2025.